

Tender for signing of rate contract for supply of LED Projector and Laserjet Printer (HP-1020) for the University based on the different demands that will be generated during the period of one year and further extendable subject to satisfactory services and mutual consent of both the parties.

GENERAL INSTRUCTIONS

- Attach a copy of the tender notice.
- Attach Affidavit as per proforma given and self attested (Annexure I).
- Attach a signed copy of Terms and Conditions.
- The Vice-Chancellor reserves all the rights to accept or reject any tender without any reason and also to impose/relax any term and condition.

SEE Next Pages for

- 1) General terms and conditions (Page No. 3, 4, 6).
- 2) Format of Affidavit (Page No. 7)
- 3) Technical Bid (Page No. 8)
- 4) Financial Bid (Page No. 9)

Tender Fee: Rs.500/-



Baba Farid University of Health Sciences

Sadiq Road, Faridkot– 151203 (Pb.)

Phone: 01639-256232, 256236

Fax: 01639-256234

Website: www.bfuhs.ac.in

e-mail: upfdbfuhs@gmail.com

Tender Form

(Tender enquiry no. LED Projector and Laserjet Printer)

Name of the Firm	
Address	

Earnest Money	: Rs.5000/- in the form of Demand Draft in Favour of “Registrar, Baba Farid University of Health Sciences, Faridkot” payable at “Faridkot”.
Tender Fee (Not Refundable)	: Rs.500/- should be enclosed with the tender in shape of Demand Draft in favour of Registrar, Baba Farid University of Health Sciences, Faridkot or can be deposited in the University cash counter.

* Errors and omissions, if any, shall subject to rectification by the University.

Please quote rates for purchase of LED Projector and Laserjet Printer

Specification of Items given below:

Sr. no	Name of Items
1	LED Projector (Casio/Sharp/Sony) Lamp Free (Specification attached)
2	Laserjet Jet Printer (HP-1020) (Specification attached)

Terms and Conditions are as follows:-

Interested parties may please enclose brochures with complete specifications of models reflecting minimum price therefore. The inspection committee shall scrutinize these offers and select appliance most appropriate to requirement of university and its constituted colleges. Keeping in view the quality of product and pricing as well as reputation for service and maintenance as essential parameters:-

1. The Tender form *along with copy of Tender Notice, Terms & Conditions and requisite certificate(s) indicated in the Terms & Conditions may be downloaded from University website (www.bfuhs.ac.in)*, & should reach in the office of **The Registrar, Baba Farid University of Health Sciences, Faridkot in a sealed envelope as per clause 8** on or before **upto 27.2.2020 by 1:00 PM and to be opened** on the same day at 2.30 PM.
2. Tenders should be sealed with cello tape/sealing wax. Unsealed tenders will not be entertained and such tenders will be ignored straightway.
3. The tender form must be accompanied with Tender fee of Rs.500 /- per tender in the shape of demand draft in favour of **“The Registrar, Baba Farid University of Health Sciences, Faridkot”** payable at Faridkot or can be deposited in the university cash counter.
4. The tender(s) should be accompanied by earnest money (Rs.5000/-) in the shape of Demand Draft of any scheduled bank in favour of Registrar, Baba Farid University of Health Sciences, Faridkot payable at Faridkot.
5. Tender without the earnest money will not be entertained.
6. Tenders forms shall be type written.
7. Rates should be quote against each item and in same order as per given Annexures only.
8. **SUBMISSION OF TENDERS** : The Technical and Financial bids should be sealed in separate sealed envelopes with Tender Enquiry No., Type of bid, Due date and Bidder name clearly marked on them as under:
 - A. **ENVELOPE NO. I (TECHNICAL BID)**

This envelope should contain Tender form along with a copy of Tender notice,
Tender fee, draft, EMD amount draft and Technical bid (as per **Annexure –II**) along with certificates regarding proprietorship /ownership of the firm.
 - B. **ENVELOPE NO. II (FINANCIAL BID)**

This envelope should contain only Financial bid(**Annexure-III**).
 - C. **ENVELOPE NO. III addressed to “The Registrar, Baba Farid University of Health Sciences, Faridkot”**

This envelope should contain sealed Envelope-I, II. The words "**Tender for LED Projector and Laserjet Printer**" should be written on the top of sealed envelope

9. **The rates quoted should be F.O.R. destination (Baba Farid University of Health Sciences, Faridkot) and should also include packing and forwarding charges, taxes, installation charges and other levies (as applicable), if any, be mentioned separately in the quote. But rates should be consolidated after including various taxes etc., if any, should be mentioned in the financial bid.**
10. In-complete or conditional offers incorporating price variation will not be entertained.
11. Tenderer should indicate their sale-tax, Pan no., GST No. registration No. in their offers.
12. Manufacturer/ Authorized dealer/Suppliers should quote the rates.
13. The firm should be in existence for at least three years.
14. Any tender, which is not in the proper form or received late will not be entertained.
15. The office shall not bear any responsibility for any postal delay.
16. Tender should not quote their own mode of payment otherwise their offer is liable to be ignored.
17. The University reserves the right to cancel the tender without assigning any reason.
18. **The tenderer(s) shall give a certificate, certifying that his/their concern has not been blacklisted.**
19. The tenderer(s) should properly append initials on the all corrections "if any" in his/their tender.
20. The tenderer must sign on all the pages of the tender.
21. Guarantee/Warranty period should also be specified.
22. The supplier shall arrange to provide free sales service within the Guarantee/warranty period.
23. The rates so quoted should have validity of at least for 1 year.
24. The quantity of item as per different demands
25. The (EMD) deposited by successful bidder shall be adjusted towards security money deposit. This security money shall be released after completion of rate contract.
26. The tenderer(s) shall supply the material within a period of 30 days from the date of issue of supply order. In case, *the material is not supplied even after the grant of extended period*, if any, late delivery charges @ 2% per month will be imposed on the total amount of Supply order.

27. On genuine reasons, the University reserves the right to extend the period for supply of material on the request of supplier. If the material is not supplied even after the grant of extended period, the order placed may be cancelled and the EMD amount shall be forfeited.
28. If the Successful bidder refuses or does not respond to the order within stipulated period, the EMD shall be forfeited and order may stand cancelled.
29. If the firm refused to execute the order fully or partially, the security amount shall be forfeited and supply order may stand cancelled.
30. Payment by RTGS/NEFT/Cheque after proper installation/verification/inspection of the material.
31. The tenderer should have office gadgets like Fax machine and E-mail ID.
32. The **Earnest Money** of unsuccessful bidders will be returned after the final approval of tenders by the competent authority *without any type of interest or other charges*.
33. All the disputes arising out of agreement/contract regarding this tender shall be subject to Faridkot jurisdiction only. It is specifically agreed that no court outside and other than Faridkot shall have jurisdiction in the matter.

Signature of Tenderer

Accepts all the terms & conditions of the tender

DATE ::

PLACE :

CHECKLIST OF ENCLOSURE

1.	Tender Fee : Rs...../-	<input type="checkbox"/>
2.	Earnest Money: Rs...../- in the shape of Demand Draft.	<input type="checkbox"/>
3.	Certificate certifying that firm has not been blacklisted (Annexure I).	<input type="checkbox"/>
4.	Technical bid (Annexure-II)	<input type="checkbox"/>
5.	Financial bid (Annexure-III)	<input type="checkbox"/>
6.	Other requisite certificate	<input type="checkbox"/>

AFFIDAVIT

I _____, s/d/w of _____ resident of
_____ District _____ proprietor of the firm M/s
_____, do hereby declare and
solemnly affirm as under:-

- That I have not been debarred or black listed by any department of Union/ State Government or any autonomous institute.
- That the terms & conditions for supplying the quoted **Tender for LED Projector and Printer** for are acceptable to me. I will abide by terms in letter and spirit.
- Date of Existence of the firm _____ (Attached Certificate)
- Annual Turn Over Rs. _____

(Signature of the Tenderer)

Full Name: _____

Address: _____

Place : _____

Date: _____

TECHNICAL BID

- 1 Name of the applicant (tenderer/ bidder). _____
- 2 Constitutional status of the tenderer/ bidder. _____
i.e. Proprietor/ Partnership firm/
Pvt. Limited Company/ Public
Limited Company/ Co-op Society
etc.
- 3 Address of the tenderer/ bidder _____

- 4 Name of the Dealing Person :- _____
- 6 Position of the dealing person in the tenderer firm/ company/ society :- _____
- 7 E mail id:- _____
- 8 Fax No:- _____
- 9 Mobile No:- _____
- 10 Details of the Earnest Money Deposit (EMD):-

(A) *In case EMD is deposited in the shape of a demand draft:-*

Demand Draft No. _____

Date of demand draft

Amount of the demand draft

Bank with branch name

10 PAN Number

11 GST No.

FINANCIAL BID

Name and Address of the applicant with Telephone / Fax No. _____

Permanent Address/ Head Office _____

We hereby quote for purchase and supply of LED Projector and Printer Items as under:

S. no.	Name of Items	Price per pc In (Rs.) (Incl. all taxes & freight etc.)
1	LED Projector (Casio/Sharp/Sony) Lamp Free (specifications attached)	
2	Laserjet Jet Printer (HP-1020) (Specification attached)	

Signature _____

(Name & Address) _____

Date & Place: _____

Reintera

Technical specifications

Print technology	Monochrome laser											
Print speed	Up to 14 ppm First page out: Less than 10 sec. due to Instant-on Technology (no warm-up time - from warm or cold start) Speed specification per industry standard testing methods											
Processor	234 MHz RISC processor											
Memory	2 MB											
Print quality	1200 dpi-like quality (600 dpi with REI and FastRes)											
Print languages	Host-based printing driver											
Economical printing levels	Economode (saves up to 50% toner at 600 dpi), immediate return to Powersave mode after each print job due to Instant-on Technology (saves electricity), N-up printing and manual two-sided printing - duplex (saves paper)											
Duty cycle	Up to 5,000 pages per month											
Print margins (mm)	Top: 4 mm, left: 4 mm, right: 4 mm, bottom: 4 mm											
Media handling	<table><thead><tr><th>Input</th><th>Capacity</th><th>Weight</th></tr></thead><tbody><tr><td>Main tray</td><td>Up to 150 sheets</td><td>60 g/m² to 163 g/m²</td></tr><tr><td>Priority tray</td><td>1 sheet</td><td>60 g/m² to 163 g/m²</td></tr></tbody></table>	Input	Capacity	Weight	Main tray	Up to 150 sheets	60 g/m ² to 163 g/m ²	Priority tray	1 sheet	60 g/m ² to 163 g/m ²		Size A4, A5, A6, B5, envelopes (C5, DL, B5), postcards 76 x 127 mm to 216 x 356 mm A4, A5, A6, B5, envelopes (C5, DL, B5), postcards 76 x 127 mm to 216 x 356 mm
Input	Capacity	Weight										
Main tray	Up to 150 sheets	60 g/m ² to 163 g/m ²										
Priority tray	1 sheet	60 g/m ² to 163 g/m ²										
Media types	Output: Sheets: up to 100, envelopes: 15, transparencies: 100 Duplex printing: Manual (driver support provided) Plain paper, envelopes, transparencies, cardstock, postcards, labels											
Interface and connectivity	Standard: 1 Hi-Speed USB (compatible with USB 2.0 specifications) port											
Operating systems compatibility	Microsoft® Windows® 98 SE, Me, 2000, XP 32-bit											
Minimum system requirements	Microsoft® Windows® 98 SE, Me, 2000 or XP, 90 MHz Pentium®, 120 MB free hard disk space (10 MB minimum install), CD-ROM drive, USB port (compatible with USB 2.0 specifications)											
Standard software	HP printer software on CD-ROM includes HP installer/uninstaller, host-based driver, HP toolbox for diagnostic status and configuration, help, documentation Driver downloadable: latest drivers available from the HP support website at http://www.hp.com/support											
Control panel	2 LED lights (Attention, Ready)											
Power	Requirements: Input voltage 110 to 127 VAC (± 10%), 50/60 Hz (± 2 Hz), 3.5 amps; 220 to 240 VAC (± 10%), 50/60 Hz (± 2 Hz), 2 amps Supply type: Internal Consumption*: Active: 250 watts, Off: 0 watts, Powersave: 2 watts, Standby: 2 watts *Power requirements are based on the country/region where the printer is sold. Do not convert operating voltages. Doing so might damage the printer and void the product warranty.											
Dimensions (w x d x h)	Out of package: 370 x 230 x 208 mm, packaged: 500 x 300 x 345 mm											
Weight	Out of package: 5 kg; packaged: 7.21 kg											
Printer management	HP Toolbox											
Operating environment	Environmental ranges: Operating temperature: 10 to 32.5° C, operating humidity: 20 to 80% RH, recommended operating humidity: 20 to 80% RH, recommended operating temperature: 10 to 32.5° C, storage temperature: 0 to 40° C, storage humidity: 10 to 80% RH, Noise level per ISO 9296: sound power LwAd: 6.2 B(A), Sound pressure: LpAm: 4.9 B(A)											
Certifications	CISPR 22: 1997/EN 55022: 1998 Class B, EN 61000-3-2: 2000, EN 61000-3-3: 1995+A1, EN 55024: 1998+A1, FCC Title 47 CFR, Part 15 Class B (USA), ICES-003, Issue 4, (Canada), GB9254-1998, EMC Directive 89/336/EEC with CE Marking Regulatory standards: IEC 60950-1 (International), EN 60950-1 (EU), IEC 60825-1+A1+A2, UL/cUL Listed (US/Canada), GS License (Europe), EN 60825-1+A1+A2 Class 1, 21 CFR Ch. I/SubCh J (Class 1 Laser/LED Device) GB4943.2001, Low Voltage Directive 73/23/EEC with CE Marking (Europe); other safety approvals as required by individual countries. Energy Star											
Warranty	One-year limited warranty											

LED Projector

without notice (last updated: March 2016)

Display	Technology:	0,55" DLP™ chip (XGA)
	Resolution:	1,024 x 768 pixels (XGA)
Illumination technology	Type:	Laser and LED hybrid technology
	Service life:	Up to 20,000 hours
Picture	Brightness:	2,700 AL
	Contrast:	20,000:1
Projection lens	Colour depth:	Up to 1.07 billion (full colour)
	Technology:	1,1x optical zoom
	Projection ratio:	(viewing distance: width): 1.54–1.71:1
	Offset:	72%
	Min. distance:	0.83 m
	Focus:	Manual
Projection	Size of the projection screen:	30" (0,76 m) to 300" (7,62 m)
	60" screen:	1.8 m to 2.0 m viewing distance
	100" screen:	3.1 m to 3.4 m viewing distance
Keystone correction	Vertical (manual):	+30°/±30°
Interfaces	Computer:	1 x 15-pin D-Sub (VGA)
	Digital input:	HDMI port
	Audio:	Input terminal: 3.5 mm stereo mini jack x1 Output terminal: 3.5 mm stereo mini jack x1 (variable audio input)
Extended functions	Control inputs:	RS-232C
	Other/further inputs:	Micro-USB type B; firmware update
Operating noise		Direct power on, direct power off, rear projection, freeze, blank screen, ceiling mounting, (4x M4), digital zoom (2x), presentation timer, password protection feature
Energy consumption	Active:	Eco Off: 37 dB (normal); Eco On: 35 dB (eco1) / 29 dB (eco5) Eco Off: 135 W (normal)/150 W (bright) Eco Off: 140 W (normal)/165 W (bright) Eco On: 120 W (eco1)/70 W (eco5) Eco On: 130 W (eco1)/75 W (eco5)
Computer compatibility	Standby:	0,23 W
Included with product	Max. resolution (compressed):	UXGA (1,600 x 1,200 pixels)
General	Dimensions (W x H x D):	Mains cable, IR remote controls (YT-150), quick guide, warranty card 270 x 89 x 270 mm
	Weight:	2.8 kg
	Casing/colour:	White
	Operating temperature:	5–35°C
	Warranty:	1. When used for less than 12 hours per day: Projector: three years. Light source: five years or 10,000 hours ¹ 2. When used continuously for more than 12 hours per day: Projector: two years. Light source: two years or 6,000 hours ¹

6199PUB-0208