



Baba Farid University of Health Sciences, Faridkot

Sadiq Road Faridkot – 151203 (Pb) India

Phone: 01639-256232, 256236

Fax: 01639-256234

Web: www.bfuhs.ac.in

E-mail: generalinfo@bfuhs.ac.in

No.16-BFUHS (PUR-11)2018/ 19166-56

Date : 28/8/18

University web-site.

Sub: Quotations for purchase of material for computers

Sealed quotations are invited for purchase of material for computers on the following terms and conditions. List is attached:-

Terms and Conditions:-

1. Payment : By RTGS/NEFT/Cheque on receipt of material in good condition.
2. F.O.R : Store Section, BFUHS, Faridkot.
3. Rate : Inclusive of all taxes or taxes (as applicable), if any, be mentioned separately in the quotation.
4. Quantity : Quantity may increase or decrease.

The Rate of above item may be quoted strictly as per the Specification & Model mentioned there above. It is further mentioned that only the terms & conditions mentioned by the University on quotation performa will be considered for supply order

You are requested to quote your lowest rates of above items and quotations addressed to **The Registrar; Baba Farid University of Health Sciences, Sadiq Road, Faridkot (Punjab)** and the words "Quotation for material for computer" may please be inscribed on top of the envelope.

The quotations Should reach this office on or before **12.09.2018 by 3.00 PM through registered post/speed post/courier only. By hand quotations will not be accepted.**

Prof Incharge (procurement)

MOTHER BOARD SPECIFICATION

- Chipset Type

Intel H61 Express

- Compatible Processors

Core i5, Core i3, Core i7

- Processor Socket

LGA1155 Socket

- Manufacturer

Intel

EXPANSION / CONNECTIVITY

- Expansion Slots

1 x CPU
2 x DIMM 240-pin
1 x PCIe 2.0 x16
1 x PCIe 2.0 x1
1 x PCI

- Storage Interfaces

SATA-300 -connectors: 4 x 7pin Serial ATA - 4 devices

- Internal Interfaces

2 x USB 2.0

- Power Connectors

4-pin ATX12V connector, 24-pin main power connector

PROCESSOR

• Max Supported Qty

1

• Installed Qty

0

NETWORKING

• Data Link Protocol

Ethernet, Fast Ethernet, Gigabit Ethernet

• Network Controller

Intel 82579V

• Network

Gigabit Ethernet

INTERFACE PROVIDED

• Qty

1, 4

• Type

LAN (Gigabit Ethernet), PS/2 keyboard / mouse, USB 2.0, VGA, audio line-in, audio line-out, microphone, parallel

• Connector Type

mini-jack

MISCELLANEOUS

• Microsoft Certifications

Compatible with Windows 7

- Package Type

bulk

- Product Type

motherboard

- Included Accessories

I/O back plate

- Compatible with Windows 7

"Compatible with Windows 7" software and devices carry Microsoft's assurance that these products have passed tests for compatibility and reliability with 32-bit and 64-bit Windows 7.

AUDIO

- Audio Codec

Realtek ALC892

- Compliant Standards

High Definition Audio

PROCESSOR / MEMORY / STORAGE

- Max Supported Qty

1

VIDEO

- Video Output

graphics adapter (CPU required)

RAM

- Max Supported Size

8 GB

- Features

dual channel memory architecture

AUDIO OUTPUT

- Sound Output Mode

5.1 channel surround

- Compliant Standards

High Definition Audio

- Type

sound card

- Audio Codec

Realtek ALC892

- Audio

High Definition Audio (6-channel)

ENVIRONMENTAL STANDARDS

- ENERGY STAR Certified

Yes

LAN

- Network Interfaces

Gigabit Ethernet

Network Controller

Intel® G2579V

SUPPORTED RAM

• Bus Clock

1333 MHz, 1066 MHz, 800 MHz

• Registered or Buffered

Unbuffered

• Features

Dual channel memory architecture

• Speed

PC3-10600, PC3-8500, PC3-6400

• Max Size

8 GB

• Technology

DDR3

• Supported RAM Integrity Check

Non-ECC

HEADER

• Brand

Intel

• Product Line

Intel Desktop Board

• Model

DH61WW

• Edition

Classic Series

• Packaged Quantity

1

• Compatibility

PC

MAINBOARD

• Form Factor

micro ATX

• Processor Socket

LGA1155 Socket

• Compatible Processors

Core i3, Core i5, Core i7

• Chipset Type

Intel H61 Express

• Supported RAM Technology

DDR3 SDRAM

• Supported RAM Speed

1066 MHz, 1333 MHz, 800 MHz

- Supported RAM Standard

PC3-10600, PC3-6400, PC3-8500

- Supported RAM Integrity Check

non-ECC

- Supported RAM (Registered or Buffered)

unbuffered

- RAM Slots

2 DIMM slots

- Power Connectors

24-pin main power connector, 4-pin ATX12V connector

MAINBOARD FEATURES

- BIOS Type

Intel

- BIOS Features

ACPI 3.0b support, Hyper-Threading Technology, SMBIOS 2.5 support, Wfm support

- Sleep / Wake Up

RTC (real-time clock) wake up, keyboard wake up, mouse wake up, suspend to RAM (STR), wake on LAN (WOL), wake on PCI device, wake on USB port

- Hardware Features

Intel Turbo Boost Technology 2.0, chassis intrusion detection

INTERFACES

- Storage

Serial ATA-300

- Storage Ports

4 x SATA-300

- USB / FireWire Ports Configuration (Active)

4 x USB 2.0

CABLE DETAILS

- Type

DVI-VGA adapter, Serial ATA cable

- Included Qty

1, 2

EXPANSION SLOTS

- Total Qty

1, 2

- Type

CPU, DIMM 240-pin, PCI, PCIe 2.0 x1, PCIe 2.0 x16

SOFTWARE

- Software Included

ESET Smart Security 4 (1 year license), Intel Desktop Utilities, Intel Express Installer, Laplink PCmover Express

DIMENSIONS & WEIGHT

◦ Width

9.6 in

◦ Depth

7.8 in

STORAGE INTERFACES

◦ Interface

Serial ATA-300

◦ Connector(s)

4 x 7pin Serial ATA

◦ Supported Devices Qty

4

SERVICE & SUPPORT

◦ Type

3 years warranty

SERVICE & SUPPORT DETAILS

◦ Type

limited warranty

◦ Full Contract Period

3 years

INTERNAL INTERFACES

◦ Type

USB 2.0

Qty

2

FEATURES

• BIOS Type

Intel

• Hardware Features

Chassis intrusion detection, Intel Turbo Boost Technology 2.0

• BIOS Features

Hyper-Threading Technology, ACPI 3.0b support, SMBIOS 2.5 support, Wfm support

• Sleep / Wake Up

Keyboard wake up, RTC (real-time clock) wake up, suspend to RAM (STR), wake on LAN (WOL), mouse wake up, wake on PCI device, wake on USB port

GENERAL

• Manufacturer

Intel

RAM Specifaction

Type : DDR3

Compitable With : Universal compatibility

Capacity : 4 GB

Warranty : 3 Years Warranty

Memory Speed : 1333 MHZ (PC3-10600)

Cabinet and Power supply Features / Specifications

Cabinet Type : Full ATX

Colour : Black

Motherboard Type : ATX / Micro ATX / Mini ITX

Drive Space : 3.5" HDD Bays-1

2.5" HDD Bays-1

5.25" ODD Bays-1

Expansion Slots : 7

Front Panel Ports : USB-2 x USB 2.0

Audio-HD Audio + MIC

FAN Bundled : Rear1 x 8 cm

Dimensions : Cabinet - 41 cm (H) x 19.8 cm (W) x 38 cm (D)