

Baba Farid University of Health Sciences, Faridkot

***E-TENDER NOTICE FOR supply & installation of 800 mA with IITV Machine
for Radiodiagnosis Department. at GGS Medical College & Hospital, Faridkot.***

E-Tender Form

(E-Tender enquiry for Supply and Installation of 800 mA with IITV machine in the department of Radiodiagnosis at GGS Medical College & Hospital, Faridkot)

Tender Notification No :	To be provided by the E-procurement portal of the Govt. of Punjab.
Requirement	E-Tender notice for supply and Installation of 800 mA with IITV Machine
Cost of the tender document:-	Rs.2360/- (Non-refundable) to be deposited through Online Mode Only in favor of Registrar, Baba Farid University of Health Sciences, Faridkot.
Tender Processing Fee	To be charged by Govt. of Punjab as per its norms. (Non- refundable)
Earnest Money Deposit (EMD)	Rs.2,00,000/- (Rs. Two Lakh only) The Earnest Money Deposit must be submitted in the shape of Online Payment in favor of Registrar, Baba Farid University of Health Sciences, Faridkot on or before due date (Refundable to the Non-successful bidders, without any type of interest or other charges). In case of successful tenderer, it will be returned after receipt of the security amount as per tender terms and conditions.
Date of start of downloading of tender documents	Immediately from the website of the Punjab Government i.e. https://eproc.punjab.gov.in
Website for downloading of the tender document:-	https://eproc.punjab.gov.in However, the details may also be obtained from the University website i.e. www.bfuhs.ac.in and college website www.ggsmch.org
Date time and place of Pre-bid Conference	25.04.2023 at 11.30 AM in the office of Principal, Guru Gobind Singh Medical College, Faridkot.
Last date for downloading of the tender document:-	25.05.2023 up to 12.30 pm
Last date & time for uploading of the tender documents:-	25.05.2023 up to 1.30 pm (through online mode only)
Date, time and venue for opening of the Technical Bids	Technical Bids shall be opened online through e-procurement site of the Government of Punjab i.e. https://eproc.punjab.gov.in on any working day after due permission of the competent authority.
Date, time and venue for opening of the Price Bids	Financial Bid of the technically qualified bidders shall be opened online through e-procurement site of the Government of Punjab i.e. https://eproc.punjab.gov.in on any working day
Who can be contacted for obtaining more information about the tender.	Principal, Guru Gobind Singh Medical College & Hospital, Sadiq Road, Faridkot. 01639-251111, 98773-65600, 94655-13138 E-mail: procurement@ggsmch.org ggsmc@punjab.gov.in , (on all working days from 9.00 a.m. to 5.00 p.m.)

Baba Farid University of Health Sciences, Faridkot

E-TENDER NOTICE FOR supply & installation of 800 mA with IITV Machine for Radiodiagnosis Department. at GGS Medical College & Hospital, Faridkot.

NOTICE INVITING E-TENDER

E-Tenders are invited on or before **25.05.2023** from manufacturers or their authorized agents/distributors **for supply and Installation of 800 mA with IITV machine required at GGS Medical College & Hospital, Faridkot.** The tender document containing detailed terms & conditions may be downloaded from the E-procurement website of the Punjab Government i.e. <https://eproc.punjab.gov.in> and its detail may also be seen at the University website www.bfuhs.ac.in and college website www.ggsmch.org

TERMS AND CONDITIONS:-

1. The tender must be uploaded on or before the last date/ time of the submission of tender.
2. The Tender processing fee should be submitted through Net Banking/Credit card/Online mode only and as per Punjab Govt.
3. Technical Bids shall be opened online through e-procurement site of the Government of Punjab i.e. <https://eproc.punjab.gov.in> on any working day after due permission of the competent authority.
4. Financial Bid of the technically qualified bidders shall be opened online through e-procurement site of the Government of Punjab i.e. <https://eproc.punjab.gov.in> on any working day
5. The Registrar/Principal reserves all rights to accept or reject any or all the tenders without assigning any reason.
6. A Pre-Bid Conference will be held on **25.04.2023 at 11.30 AM in the office of Principal, Guru Gobind Singh Medical College, Faridkot.** Any prospective bidder can attend the pre-bid conference to seek any clarifications about the tender. The proceedings of the pre bid conference will only be uploaded on the website <https://eproc.punjab.gov.in> and will form integral part of this tender document. Any clarifications/ Modifications/ Changes notified during the pre-bid conference will be mandatory and binding.
7. Corrigendum/Addendum/Corrections, if only will be published on the Website <https://eproc.punjab.gov.in>

Registrar

Baba Farid University of Health Sciences, Faridkot

***E-TENDER NOTICE FOR supply & installation of 800 mA with IITV Machine
for Radiodiagnosis Department. at GGS Medical College & Hospital, Faridkot.***

INSTRUCTIONS/ GUIDELINES TO THE TENDERERS

1. The bidder needs to register himself/ herself on <https://eproc.punjab.gov.in> the bidder is also required to obtain Class III digital signature certificates to complete this process.
2. Please download the Tender document from the website of e-procurement of the Govt. of Punjab <https://eproc.punjab.gov.in> Please fill all the relevant blanks on all the pages of the tender document sign along with a stamp/ seal all pages and then a scanned copy of the same may be uploaded on the website at the time of submission of the tender document.
3. **It should be clearly noted that this tender will be accepted though e-tender mode only.** The tenders submitted through offline mode will not be accepted under any circumstances.
4. **Tender Fee :** as per Govt. and should be deposited through online mode only
5. **Tender Processing Fee:** as per Punjab Govt. (non-refundable) may be deposited through online mode i.e. Net Banking/ Credit Card/ Debit Card only. The tender processing fee will not be accepted through any other mode.
6. **Refundable Earnest Money Deposit (EMD): Rs.2,00,000/-** to be deposited online mode only in favor of Registrar Baba Farid University of Health Sciences, Faridkot.
7. **Upload** signed copy of Technical Bid Compliance Statement (**Annexure-I**).
8. **Upload** an affidavit regarding Non-Black listing as per proforma given at **Annexure-II** duly attested by an Executive Magistrate or a Notary Public.
9. In case the Bidder is Authorized Supplier/Agency, the Authorization Certificate as per the Format given at **Annexure-‘III’** (duly filled in), **to be uploaded.**
10. In case the Bidder is Authorized Supplier/Agency, an undertaking/certificate issued by their Principal Manufacturer/Supplier that in case dealership/distributorship is withdrawn after supply of the Instruments then the Principal Manufacturer/Supplier will be responsible for Guarantee/Warranty/AMC/CMC of the Equipments/Instruments. (**Annexure – ‘IV’**), **to be uploaded.**
11. **Upload** details of Bank Account for refund of EMD (**Annexure – V**).
12. In addition to this, following **documents are to be uploaded** with Technical Bid:-
 - i) Details of registration as Company /Firm/ Establishment.
 - ii) **Certification as per technical specifications.**
 - iii) Copy of Certificate of Registration for service Tax/TIN/TAN/PAN/VAT.
 - iv) A certificate from C.A. regarding Annual Turnover with Balance Sheet for the last 3 (three) financial years i.e. 2019-20, 2020-21 & 2021-22.
 - v) Copy of the IT Returns for three financial years i.e. 2019-20, 2020-21 & 2021-22.
15. Price should be quoted and **uploaded** only in Excel Sheet proforma at **Annexure-‘VI’**.

Baba Farid University of Health Sciences, Faridkot

***E-TENDER NOTICE FOR supply & installation of 800 mA with IITV Machine
for Radiodiagnosis Department. at GGS Medical College & Hospital, Faridkot.***

SCOPE OF SUPPLY

Sr.	Name of Equipment	Approx. Qty. Reqd.	Earnest Money to be Submitted (in Rs.)
1.	800 mA with IITV machine	02	2,00,000/-

Quantity may increase / decrease as per requirement.

Baba Farid University of Health Sciences, Faridkot

E-TENDER NOTICE FOR supply & installation of 800 mA with IITV Machine for Radiodiagnosis Department. at GGS Medical College & Hospital, Faridkot.

TECHNICAL SPECIFICATIONS

800 mA with IITV

S.N.	Features available in equipment
	<p>High Frequency X-Ray Machine suitable for general radiography</p> <p><u>X-Ray generator:</u></p> <p>High Frequency X-Ray generator having frequency of 40 KHz or more provided. Power output of generator should be 65 KW or more Radiography KV range should be : 40 to 50 KV mA range (RAD): 800 mA or oremAs range (RAD) 0.5 to 800 mAs Exposure time (Rad.) .001 sec to 10 Sec. The X-ray control should have digital display of KV, mA, mAs /Time. The radiography KV with maximum number of steps. The technique selector switch should be provided for selecting table radiography /bucky etc. Machine must give 630 mA at 100 KV of 0.1 Sec & 500 mA at 130 KV of 0.1 Sec Machine must give 400 mA at 150 KV of 0.1 Sec & also 800 mA at 80 KV of 0.1 Sec.</p> <p><u>Control :</u></p> <p>A very compact soft touch control panel having following function & Indications shouldbe provided. The panel can be supplied in floor or wall mount with spill proof design. Following feature should be available on the controlpanel: Machine on/Off Switch. Digital Display of KV ,mA ,mAs / Time KV ,mA & mAs Increase and decreaseSwitches. Tube focal spot selection switch. Ready & X-Ray On switch. Bucky selection switch. Error should be display on panel with indicators or by error codes for i.e. :-Earth Fault Error, Filament Error, Inverter Error, Rotor Error ,Tube head Thermal overload etc. Anatomically Programming Radiography (i.e APR) should be provided in which KV& mAs are automatically selected depending upon the physically of the patient and part of the body to be x-Rayed. Anatomical programming of minimum 2000 programmes should be provided.</p> <p><u>X-RAY TUBE :</u></p> <p>Two no. Dual focus Rotating Anode X-Ray tube thermallyprotected. Small Focus is 0.6 mm & large focus is 1.2 mm Anode heat storage capacity of tube should be 300 KHU ormore. Two pair of 8 meter H.V Cable. Two no. Double slot Manual Collimator with auto shut off facility shouldbe provided.</p>

Baba Farid University of Health Sciences, Faridkot

E-TENDER NOTICE FOR supply & installation of 800 mA with IITV Machine for Radiodiagnosis Department. at GGS Medical College & Hospital, Faridkot.

	<p><u>HV Tank :</u> A very compact H.V Tank filled with high dielectric transformer oil should be provided. The H.V Tank should contain H.V transformers Filament, Transformers, H.V rectifies & H.V cable receptacles.</p> <p><u>TUBE STAND :</u> Floor to ceiling stand with counter balanced tube head (rotatable $\pm 90^\circ$) 180° rotatable mounted on floor ceiling rails for convenient movement should be provided.</p> <p><u>TABLE :</u> Motorized table should have motorized Bucky consisting of Bucky grid with ratio 8:1 or more, 85 lines per inch. The Table should consist of motorized reciprocating Bucky with imported grid of size 17¼" x 18¾" & of Ratio 8:1-85 Lines/inch. The Bucky should cover the entire length of the table and should be laced at any desired position by an Electromagnetic lock. The table should be made of low radiation absorption, waterproof material. Table Accessories like stainless steel cassettes tray, Bucky should accept cassettes up to 14"x 17"</p> <p><u>VERTICAL BUCKY STAND:</u> Vertical Bucky stand with oscillating Grid of ratio 8:1, 85 lines/inches is provided. The Bucky should move up & down & should be equipped with stainless steel cassette tray. The stand should be floor mounted type & can accommodate cassettes up to 14"x 17".</p> <p><u>I.I. System</u> 9" Inches, Image Intensifier should be provided. It should be fitted on X-Ray Machine It should have Zoom Facility CMOS Camera: High resolution compact B/W CMOS camera 1 K X 1 K size. It should have scanning lines of 600 lines , 40 field. The horizontal resolution should be 550 lines. The acquisition should be made at 14 bits. Nominal Entrance Field Size is 200mm. Output Image diameter is 23mm. Image Intensifier head safety lock is available. 2 Nos. 17" LED/TFT or 1 No. 27" LED/TFT Monitors</p> <p><u>MEMORY SYSTEM:</u> PC based memory system with the following features should be provided. Image processing software with Real time image capturing, storage. Boosted Fluoroscopy (CINE) up to 30 FPS with real time recording on Hard Disk Drive. More than 10000 image storage.</p>

Baba Farid University of Health Sciences, Faridkot

***E-TENDER NOTICE FOR supply & installation of 800 mA with IITV Machine
for Radiodiagnosis Department. at GGS Medical College & Hospital, Faridkot.***

<p>DICOM Send & Print PACS connectivity with RIS. Length and angle Measurements with Annotation Pre Programming for Image setting for different operating Modes. Image Flipping and Image rotation. Recursive Filters for image smoothening Image Zoom with Pan Image Inversion</p> <p><u>POWER REQUIREMENT :</u></p> <p>The unit should be operable on 3 Phase, 440 Volts AC, 50 Hz 100 Amps with line –resist less than 0.4 ohms. Line regulation $\pm 10\%$.</p> <p><u>Safety & Approval :</u></p> <p>Equipment should be approved by AERB or BIS Company should have ISO 9001 & ISO 13485 Certificate.</p>

Warranty for 05 years

05 years CMC after expire of warranty

Certificate (s) regarding **standard** in quality must be uploaded.

GUARANTEE / WARRANTEE SHOULD BE CLEARLY MENTIONED

Baba Farid University of Health Sciences, Faridkot

***E-TENDER NOTICE FOR supply & installation of 800 mA with IITV Machine
for Radiodiagnosis Department. at GGS Medical College & Hospital, Faridkot.***

NOTE: -

- All accessories like UPS / Stabilizer or any other which are required for machine should be supplied by the L1 bidder.
- **Price of above accessories should be quoted too separately in price bid. The specific accessories and their quantity will be decided on the basis of actual requirement.**
- Compliance report to be submitted in a tabulated and point-wise manner (as per technical specifications), clearly mentioning the page/ para number with authenticated catalogue / manual, without which it will not be considered. Points not covered in the brochure must be specifically addressed in a separate certificate.
 - User list from Govt sector and good repute private hospitals should be provided.
 - Certificate (s) regarding standard in quality must be uploaded.
 - Expected delivery & Installation time: Within 45 days after issue of supply order.

Baba Farid University of Health Sciences, Faridkot

***E-TENDER NOTICE FOR supply & installation of 800 mA with IITV Machine
for Radiodiagnosis Department. at GGS Medical College & Hospital, Faridkot.***

TERMS AND CONDITIONS

**FOR SUPPLY AND INSTALLATION of 800 mA with IITV machine REQUIRED AT
GGS MEDICAL COLLEGE & HOSPITAL, FARIDKOT.**

ELIGIBILITY

- The sole manufacturers of equipments or their authorized agents/distributors may quote their rates.
 - In case of Authorized Supplier/Agency/Distributor, the Authorization Certificate as per the Format given at **Annexure-‘III’** should be uploaded.
 - In case the Tenderer is authorized dealer/supplier an undertaking/certificate issued by their Principle Manufacturer/Supplier that in case dealership/distributorship is withdrawn after supply then the Principle Manufacturer/Supplier will be responsible for Guarantee/Warranty/AMC/CMC. (**Annexure – ‘IV’**).
1. This institution reserves the right to reject tenders without assigning any reason and increase or decrease the quantity of the articles tendered.
 2. ***If the supply and installation*** is not made within the stipulated period then late delivery charges @**2%** will be imposed on the total amount of Supply Order up to delay of **30 days** and thereafter @ **4%** for another **30 days** after which Supply Order will be deemed cancelled & security/earnest money will be forfeited and company will be black-listed for future.
 3. Payment Terms: 80% Payment will be released after satisfactory Installation of the Equipment and balance 20% will be made after 60 days of the Installation and satisfactory working of the equipment.
 4. In-complete or conditional offers incorporating price variation will not be entertained.
 5. The firm should have been in existence for at- least **three years** and it should have turnover of **Rs.50,00,000/- per year**.
 6. The successful bidder shall deposit performance security @ 10% of the basic cost of the equipment/s in the shape of **Demand Draft only** and will be returned after receipt of CAMC security.
 7. **Any bidder from a country which shares a land border with India will be eligible to bid in this tender only if the bidder is registered with the competent authority as per the GFRs-2017 rules clause 144 sub rule (X1).**

Baba Farid University of Health Sciences, Faridkot

***E-TENDER NOTICE FOR supply & installation of 800 mA with IITV Machine
for Radiodiagnosis Department. at GGS Medical College & Hospital, Faridkot.***

Annexure-I

TECHNICAL BID COMPLIANCE STATEMENT

Name and Address of the applicant / firm _____

Specify whether Manufacturer/Dealer/Distributor: _____

Sr. No.	Particulars	Remarks
1.	Tender Fee of Rs.2360/- through Online Mode only on or before due date.	Yes/No
2.	Tender Processing fee charged by Punjab Govt. as per their norms. (Non-refundable).	Yes/No
3.	Earnest Money Rs. 2,00,000/- in favor of Registrar Baba Farid University of Health Sciences, Faridkot through online mode only.	Yes/No
4.	Technical Bid Compliance Proforma uploaded (Annexure-I).	Yes/No
5.	Whether an affidavit regarding Non-Black listing as per proforma given at Annexure-II duly attested by an Executive Magistrate or a Notary Public uploaded.	Yes/No
6.	In case the bidder is Authorized Supplier/Agency, the Authorization Certificate as per the Format given at Annexure-‘III’ uploaded.	Yes/No
7.	In case the Tenderer is Authorized Supplier/Agency, an undertaking/certificate issued by their Principle Manufacturer/Supplier that in case dealership/distributorship is withdrawn after supply then the Principle Manufacturer/Supplier will be responsible for Guarantee/Warranty/AMC/CMC (Annexure – ‘IV’) uploaded.	Yes/No
8.	Details of Bank Account for refund of EMD (Annexure – V) uploaded.	Yes/No
9.	Price Bid in the prescribed format in Excel Sheet (Annex – VI) uploaded.	Yes/No
10.	Copy of Certificate of Registration for service Tax/TIN/TAN/PAN uploaded.	Yes/No
11.	A certificate from C.A. regarding Annual Turnover with Balance Sheet for the last 3 (three) financial years i.e. 2019-20,2020-21 & 2021-22 uploaded.	Yes/No
12.	Copy of the IT Returns for three financial i.e. 2019-20,2020-21 & 2021-22 uploaded	Yes/No
13.	Certificate regarding standard in quality as per required in specifications	Yes/No
14.	Compliance sheet, point wise, as per specifications uploaded	Yes/No
15.	E-mail ID	
16.	Make	
17.	Model	

Signature & seal of bidder

Place:

Date :

Note: Please upload Catalogue/Brochure/Pamphlets with complete specifications of quoted model only.

Baba Farid University of Health Sciences, Faridkot

***E-TENDER NOTICE FOR supply & installation of 800 mA with IITV Machine
for Radiodiagnosis Department. at GGS Medical College & Hospital, Faridkot.***

Annexure-II

(To be furnished on non-judicial stamp paper worth Rs.100/- duly attested by Executive Magistrate or Notary Public).

AFFIDAVIT

I/We _____
partner/sole proprietor (Strike out which is not applicable) of (Name & Address of Firm)
_____ do hereby declare and solemnly affirm:-

- a) That the individual/firm/ companies are **not debarred or black- listed** by any department of Union/ State Government or any autonomous institute.
- b) That no partner or shareholder, directly or indirectly connected with the applicant who has been debarred or blacklisted by any department of Union Govt./State Govt./Autonomous Institute.
- c) And that the terms and conditions for supply and Installation of Equipments at GGSMCH, Faridkot, are acceptable to me/us. I/We shall abide by them in letter and spirit.

Date:

Place:

DEPONENT

VERIFICATION

I/We do hereby solemnly declare and affirm that the above declarations are true and correct to the best of my/our knowledge and beliefs. No part of it is false and nothing has been concealed therein.

Date:

Place:

Baba Farid University of Health Sciences, Faridkot

***E-TENDER NOTICE FOR supply & installation of 800 mA with IITV Machine
for Radiodiagnosis Department. at GGS Medical College & Hospital, Faridkot.***

DEPONENT

Annexure- III

MANUFACTURER’S/PRINCIPAL AUTHORIZATION FORM

TO

The Registrar
Baba Farid University of Health Sciences,
Faridkot -151203

Ref. No.....

Dated:

**Sub: Authorization Certificate in favour of M/s..... for supply
of (Name of equipment)**

We, M/s....., who are established and reputable
manufacturers of(name of equipment) having factory(ies) at
..... and, hereby authorize
M/s.....(name and address) to bid, negotiate and conclude
the Tender formalities with you against Tender No..... for the above
equipment(s) manufactured by us.

No company or firm or individual other than M/s..... are authorized
to bid, negotiate and conclude the tender formalities in regard to this business against this
specific tender.

We, hereby extend our full guarantee and warranty as per the conditions of tender for
the goods offered for supply against this tender by the above firm.

Yours faithfully,

(Name)

For and on behalf of M/s _____
(name of manufacturer/Principal)

**Note: This letter should be signed by a person competent and having authority to sign
on behalf of manufacturer, and should be on manufacturer Letter Head and same will
be uploaded with Technical Bid.**

Baba Farid University of Health Sciences, Faridkot

***E-TENDER NOTICE FOR supply & installation of 800 mA with IITV Machine
for Radiodiagnosis Department. at GGS Medical College & Hospital, Faridkot.***

Annexure - IV

UNDERTAKING BY MANUFACTURER/PRINCIPAL SUPPLIER

TO

The Registrar
Baba Farid University of Health Sciences,
Faridkot -151203

Ref. No......

Dated:

Sub: Undertaking for after sales service

We, M/s....., who are established and reputable manufacturers of(name of equipment) have authorized M/s.....(name and address) to bid, negotiate and conclude the Tender formalities with you against Tender No..... for the above equipment(s).

Further, we undertake that in case dealership/distributorship is withdrawn after supply of equipment then we shall be responsible for after sales service till the date of guarantee/warranty of the equipment and afterwards for a period of 10 years.

Yours faithfully,

(Name)

For and on behalf of M/s _____
(name of manufacturer/Principal)

Baba Farid University of Health Sciences, Faridkot

***E-TENDER NOTICE FOR supply & installation of 800 mA with IITV Machine
for Radiodiagnosis Department. at GGS Medical College & Hospital, Faridkot.***

Annexure- V

Details of Bank Account of the firm who has deposited EMD

Name of the firm: _____

Sr. No.	Particulars	Detail
1.	Account No.	
2.	Name of Bank	
3.	Branch Name	
4.	IFSC Code of Bank	
5.	Name of Operator	

Baba Farid University of Health Sciences, Faridkot

***E-TENDER NOTICE FOR supply & installation of 800 mA with IITV Machine
for Radiodiagnosis Department. at GGS Medical College & Hospital, Faridkot.***

ANNEXURE - VI

PRICE BID

**TO BE UPLOADED in Printed/Computerized format in Excel Sheet Attached for all
Equipments.**