

# ***Baba Farid University of Health Sciences, Faridkot***

***E-TENDER NOTICE FOR supply & installation of Anaesthesia Workstation  
for Anaesthesia Department. at GGS Medical College & Hospital, Faridkot.***

## **E-Tender Form**

**(E-Tender enquiry for Supply and Installation of Anaesthesia Workstation in the department of Anaesthesia at GGS Medical College & Hospital, Faridkot**

Tender Notification No :	<b>To be provided by the E-procurement portal of the Govt. of Punjab.</b>
Requirement	<b>E-Tender notice for supply and Installation of Anaesthesia Workstation</b>
Cost of the tender document:-	Rs.2360/- (Non-refundable) to be deposited through Online Mode Only in favor of Registrar, Baba Farid University of Health Sciences, Faridkot.
Tender Processing Fee	To be charged by Govt. of Punjab as per its norms. (Non- refundable)
Earnest Money Deposit (EMD)	Rs.3,00,000/- (Rs. Three Lakhs only) The Earnest Money Deposit must be submitted in the shape of Online Payment in favor of Registrar, Baba Farid University of Health Sciences, Faridkot on or before due date (Refundable to the Non-successful bidders, without any type of interest or other charges). In case of successful tenderer, it will be returned after receipt of the security amount as per tender terms and conditions.
Date of start of downloading of tender documents	<b>Immediately</b> from the website of the Punjab Government i.e. <a href="https://eproc.punjab.gov.in">https://eproc.punjab.gov.in</a>
Website for downloading of the tender document:-	<a href="https://eproc.punjab.gov.in">https://eproc.punjab.gov.in</a> However, the details may also be obtained from the University website i.e. <a href="http://www.bfuchs.ac.in">www.bfuchs.ac.in</a> and college website <a href="http://www.ggs-mch.org">www.ggs-mch.org</a>
Date time and place of Pre-bid Conference	<b>03.05.2023 up to 11.30 AM in the office of Principal, Guru Gobind Singh Medical College, Faridkot.</b>
Last date for downloading of the tender document:-	<b>25.05.2023 up to 12.30 pm</b>
Last date & time for uploading of the tender documents:-	<b>25.05.2023 up to 1.30 pm (through online mode only)</b>
Date, time and venue for opening of the Technical Bids	Technical Bids shall be opened online through e-procurement site of the Government of Punjab i.e. <a href="https://eproc.punjab.gov.in">https://eproc.punjab.gov.in</a> on any working day after due permission of the competent authority.
Date, time and venue for opening of the Price Bids	Financial Bid of the technically qualified bidders shall be opened online through e-procurement site of the Government of Punjab i.e. <a href="https://eproc.punjab.gov.in">https://eproc.punjab.gov.in</a> on any working day
Who can be contacted for obtaining more information about the tender.	Principal, Guru Gobind Singh Medical College & Hospital, Sadiq Road, Faridkot. 01639-251111, 98773-65600, 94655-13138 E-mail: <a href="mailto:procurement@ggs-mch.org">procurement@ggs-mch.org</a> <a href="mailto:ggs-mch@punjab.gov.in">ggs-mch@punjab.gov.in</a> , (on all working days from 9.00 a.m. to 5.00 p.m.)

# *Baba Farid University of Health Sciences, Faridkot*

*E-TENDER NOTICE FOR supply & installation of Anaesthesia Workstation  
for Anaesthesia Department. at GGS Medical College & Hospital, Faridkot.*

---

## **NOTICE INVITING E-TENDER**

**E-Tenders** are invited on or before **25.05.2023** from manufacturers or their authorized agents/distributors **for supply and Installation of Anaesthesia Workstation required at GGS Medical College & Hospital, Faridkot.** The tender document containing detailed terms & conditions may be downloaded from the E-procurement website of the Punjab Government i.e. <https://eproc.punjab.gov.in> and its detail may also be seen at the University website [www.bfuhs.ac.in](http://www.bfuhs.ac.in) and college website [www.ggsmch.org](http://www.ggsmch.org)

### **TERMS AND CONDITIONS:-**

1. The tender must be uploaded on or before the last date/ time of the submission of tender.
2. The Tender processing fee should be submitted through Net Banking/Credit card/Online mode only and as per Punjab Govt.
3. Technical Bids shall be opened online through e-procurement site of the Government of Punjab i.e. <https://eproc.punjab.gov.in> on any working day after due permission of the competent authority.
4. Financial Bid of the technically qualified bidders shall be opened online through e-procurement site of the Government of Punjab i.e. <https://eproc.punjab.gov.in> on any working day
5. The Registrar/Principal reserves all rights to accept or reject any or all the tenders without assigning any reason.
6. A Pre-Bid Conference will be held on **03.05.2023 up to 11.30 AM in office of Principal, Guru Gobind Singh Medical College, Faridkot.** *Any prospective bidder can attend the pre-bid conference to seek any clarifications about the tender. The proceedings of the pre bid conference will only be uploaded on the website <https://eproc.punjab.gov.in> and will form integral part of his tender document. Any clarifications/ Modifications/ Changes notified during the pre-bid conference will be mandatory and binding.*
7. Corrigendum/Addendum/Corrections, if only will be published on the Website <https://eproc.punjab.gov.in>

Registrar

# ***Baba Farid University of Health Sciences, Faridkot***

***E-TENDER NOTICE FOR supply & installation of Anaesthesia Workstation  
for Anaesthesia Department. at GGS Medical College & Hospital, Faridkot.***

---

## **INSTRUCTIONS/ GUIDELINES TO THE TENDERERS**

1. The bidder needs to register himself/ herself on <https://eproc.punjab.gov.in> the bidder is also required to obtain Class III digital signature certificates to complete this process.
2. Please download the Tender document from the website of e-procurement of the Govt. of Punjab <https://eproc.punjab.gov.in> Please fill all the relevant blanks on all the pages of the tender document sign along with a stamp/ seal all pages and then a scanned copy of the same may be uploaded on the website at the time of submission of the tender document.
3. **It should be clearly noted that this tender will be accepted though e-tender mode only.** The tenders submitted through offline mode will not be accepted under any circumstances.
4. **Tender Fee :** as per Govt. and should be deposited through online mode only
5. **Tender Processing Fee:** as per Punjab Govt. (non-refundable) may be deposited through online mode i.e. Net Banking/ Credit Card/ Debit Card only. The tender processing fee will not be accepted through any other mode.
6. **Refundable Earnest Money Deposit (EMD): Rs.3,00,000/-** to be deposited online mode only in favor of Registrar Baba Farid University of Health Sciences, Faridkot.
7. **Upload** signed copy of Technical Bid Compliance Statement (**Annexure-I**).
8. **Upload** an affidavit regarding Non-Black listing as per proforma given at **Annexure-II** duly attested by an Executive Magistrate or a Notary Public.
9. In case the Bidder is Authorized Supplier/Agency, the Authorization Certificate as per the Format given at **Annexure-‘III’** (duly filled in), **to be uploaded.**
10. In case the Bidder is Authorized Supplier/Agency, an undertaking/certificate issued by their Principal Manufacturer/Supplier that in case dealership/distributorship is withdrawn after supply of the Instruments then the Principal Manufacturer/Supplier will be responsible for Guarantee/Warranty/AMC/CMC of the Equipments/Instruments. (**Annexure – ‘IV’**), **to be uploaded.**
11. **Upload** details of Bank Account for refund of EMD (**Annexure – V**).
12. In addition to this, following **documents are to be uploaded** with Technical Bid:-
  - i) Details of registration as Company /Firm/ Establishment.
  - ii) **Certification as per technical specifications.**
  - iii) Copy of Certificate of Registration for service Tax/TIN/TAN/PAN/VAT.
  - iv) A certificate from C.A. regarding Annual Turnover with Balance Sheet for the last 3 (three) financial years i.e. 2018-19, 2019-20, 2020-21.
  - v) Copy of the IT Returns for three financial years i.e. 2018-19, 2019-20 & 2020-21.
15. Price should be quoted and **uploaded** only in Excel Sheet proforma at **Annexure-‘VI’**.

\*\*\*\*\*

***Baba Farid University of Health Sciences, Faridkot***

***E-TENDER NOTICE FOR supply & installation of Anaesthesia Workstation  
for Anaesthesia Department. at GGS Medical College & Hospital, Faridkot.***

---

---

**SCOPE OF SUPPLY**

<b>Sr.</b>	<b>Name of Equipment</b>	<b>Approx. Qty. Reqd.</b>	<b>Earnest Money to be Submitted (in Rs.)</b>
1.	<b>Anaesthesia Workstation</b>	05	3,00,000/-

Quantity may increase / decrease as per requirement.

## **TECHNICAL SPECIFICATIONS**

### **1. General Requirement**

- Compact and modular, three gas Anaesthesia workstation with an integrated ventilator and monitoring facility for adult to infants and integrated airway monitor for airway pressures and volume. It should be constructed with welded tubular/epoxy powder painted steel or ABS medical grade plastic.
- The machine should be suitable for low and minimal flow anesthesia application with compliance compensation
- The anaesthesia machine, inbuilt ventilator and vaporizer should be manufactured by the single company.
- The system should have internal battery backup of minimum 30 mint. or more.
- System should conform to (US FDA / 4 digit European CE) and (BIS/ISO) and EN 60601-2-13 (Requirement for safety and essential performance of anaesthesia system).
- The machine should have 2/3 drawers (preferably lockable).
- Top shelf and table top to keep drugs.
- Should have large castor wheel with foot brake.

***The quoted model should be upgradable to latest technology time to time and company should ensure supply of consumables / spare parts / accessories whenever demanded for at least for next 10 years.***

### **2. Gas delivery system**

- Should have pin index yokes for Oxygen & Nitrous Oxide besides separate connection for Central gas supply for Oxygen, Nitrous Oxide and Air. All pipe line should have diameter safety system (DISS).
- The machine should have pressure gauges for cylinders & central supply lines mounted on front of Anaesthesia machine for better visibility. The gas connections should be non interchangeable.
- The system should be suitable to use at minimal flow fresh gas setting.
- Automatic cut-off of N<sub>2</sub>O by Oxygen pressure failure.
- Hypoxic guard for linear regulation of minimum oxygen concentration at 25% volume.
- Audible visual oxygen failure alarm.
- Emergency Oxygen flush at 30 – 70 L/min bypassing the vaporizer.
- Should have electronic display of cylinders and pipeline gas pressures.
- Auxillary oxygen port should be available. There should have rapid electronic

# *Baba Farid University of Health Sciences, Faridkot*

*E-TENDER NOTICE FOR supply & installation of Anaesthesia Workstation  
for Anaesthesia Department. at GGS Medical College & Hospital, Faridkot.*

---

gas mixing system

- Anaesthesia in mechanical ventilation mode should automatically compensate for compression losses within the absorber and bellow assembly breath by breath with flow measurement from integrated inspiratory & Expiratory flow sensors.
- Should have backup O<sub>2</sub> control which provides an independent fresh gas source & flow control in case of desolve failure.

### **3. Flow meter**

- Should have meter for Oxygen, Nitrous- Oxide and air.

### **4. Vaporizer**

- Machine should have possibility to mount two quick mount type vaporizer for easy interchangeability, and safety with interlock facility to allow use of only one vaporizer at a time.
- Should be provided with a Temperature, pressure compensated and flow independent .
- Should be capable of connecting vaporiser for Isoflurane / Sevoflurane / Desflurane / Halothane.
- The vaporiser should be calibration free along with manufacturer certificate for the same.

### **5. Breathing System**

- Should have fresh gas de-coupled/ fresh gas compensation semi closed circle absorber system.
- Should have adjustable pressure relief valve with flow and pressure compensated .
- The system should have leak and compliance test (including patient hoses upto the Y piece).
- Should have compact breathing system with minimal flow of 250 ml of O<sub>2</sub>.
- Should have an external fresh gas outlet for connecting Magill or Bain's circuit
- The device should have port for anaesthesia gas scavenging system.
- Should have fully autoclavable CO<sub>2</sub> absorber, canister

### **6. Anaesthesia Ventilator**

- The system should have inbuilt ventilator with electronically controlled and Electronic / pneumatic driven. Should not require changing of bellows for adult & infants.
- Should have minimum color screen size of 15" or more.
- Modes: Manual/Spont, VCV, PCV, SIMV with PS, CPAP and upgradable time to time.
- Tidal Volume : 20 ~ 1400 ml

# ***Baba Farid University of Health Sciences, Faridkot***

*E-TENDER NOTICE FOR supply & installation of Anaesthesia Workstation  
for Anaesthesia Department. at GGS Medical College & Hospital, Faridkot.*

---

- PEEP : 0 ~ 20 cm H<sub>2</sub>O
- Breathing Frequency : 4 to 60 BPM
- Pressure limits- shall be adjustable and preferred < 70 cm H<sub>2</sub>O.

## **7. *Airway monitoring***

- Integrated monitor for electronic monitoring and display of following parameters:
  - Expiratory Tidal Volume
  - Expiratory Minute volume
  - PEEP, Peak & Mean and Plateau airway pressure
  - Frequency
  - Graphic representation for Lung mechanics

## **8. *Alarm limits & alarms***

- Adjustable high / low limits with audio and visual alarms for the following:
  - Minute volume,
  - Airway pressure (incl stenosis and disconnect),
  - Insp oxygen concentration,
  - Audio power supply fail alarm,
  - Fail to cycle warning.

## **9. *Patient Monitor***

- The equipment should be having integrated basic measurements & features of patient monitoring system.
- The monitors should have bright, highly visible, More than 15" TFT Multicolor capacitive display touch Screen with rotator knob with minimum 6 waveforms extendable upto 12 waveforms.
- The monitors should have the capability to provide vital parameters ECG, built-in NIBP with adult, paediatric and neonatal cuffs, SpO<sub>2</sub>, EtCO<sub>2</sub>, 2 IBP/Temp skin and core temperature probes, gas monitoring and cardiac output, entropy / BIS, NMT.
- Upgradable to cardiac output, AGM, entropy/BIS, NMT by adding modules.
- Anaesthesia gas monitoring should be display O<sub>2</sub>, CO<sub>2</sub>, N<sub>2</sub>O gases, Anaesthesia agents, MAC value in both inspired and expired value breath to breath either on monitor or on Anaesthesia workstation display
- Monitor should have trending facility for atleast one week/ 7 days of both graphical and numerical facility to store snapshots during critical events for waveform review at a later stage.

## *Baba Farid University of Health Sciences, Faridkot*

*E-TENDER NOTICE FOR supply & installation of Anaesthesia Workstation for Anaesthesia Department. at GGS Medical College & Hospital, Faridkot.*

---

- Standard battery backup 2-6 hours.
- Connectivity to central stations should be standard thru LAN/ WiFi
- Data export through USB port should be available with password protected as per FDA guideline.

### ***Scope of supply***

- Pin Index yokes for O2 & N2O – **2 sets** per workstation
- Pipeline connections for all three gases - **2 sets** per workstation
- Circle Absorber – **01** Noper workstation
- Central gas supply hoses (Color coded) – **2 sets** per workstation
- Anaesthetic reusable silicon mask size – Adult & child- (all seven sizes).- **5 sets per workstation**
- Vaporisers for Isoflurane, Sevoflurane – **1 set** per workstation fitted on workstation
- Desflurane vaporizer – 1 only
- Bains circuit (disposable): **10** per workstation
- Jackson Rees circuit : **5** per workstation
- Adult and pediatric reusable and autoclavable silicone closed breathing circuits : **5 sets** per workstation
- Disposable breathing circuits: **10** per workstation
- Rebreathing bags : **5 no (2 litre), 5 no (1 litre) and 5 no (500 ml ) per workstation**
- SpO2 finger sensor probe with cables – **5 no Adult and 5 no Paediatric** ( 2 neonatal ) per monitor
- Temperature probe: **2 adult** (1 core, 1 skin) and **2 pediatric** (1 core , 1 skin) per workstation
- Temperature cables –: **4 noper** workstation
- NIBP Hose – **2 nos.** per monitor
- NIBP cuff Adult & Paediatric – **neonatal(3), pediatric(3), small (5), medium(10), large(10) and extra large(5) per monitor**
- Should be supplied with intermediate IBP cable– **2 nos** per workstation
- Disposable transducers – **10nos** per workstation
- Disposable gas sampling line –**10 nos** per workstation
- Disposable water traps – **10 nos** per workstation
- BIS module : **1 nos per workstation**
- BIS cable : **2 nos per workstation**
- BIS sensors- **10 nos per workstation**
- HME filters- **200 nos per workstation**
- EtCO2 sampling line and connector should be supplied- **25 nosper workstation**



## ***Baba Farid University of Health Sciences, Faridkot***

***E-TENDER NOTICE FOR supply & installation of Anaesthesia Workstation  
for Anaesthesia Department. at GGS Medical College & Hospital, Faridkot.***

---

### **Warranty for 5 years 05 years CMC after expire of warranty period**

Certificate (s) regarding **standard** in quality must be uploaded.

**GUARANTEE / WARRANTEE SHOULD BE CLEARLY MENTIONED**

#### **NOTE: -**

- All accessories like UPS / Stabilizer or any other which are required for machine should be supplied by the L1 bidder.
- **Price of above accessories should be quoted too separately in price bid. The specific accessories and their quantity will be decided on the basis of actual requirement.**
- Compliance report to be submitted in a tabulated and point-wise manner (as per technical specifications), clearly mentioning the page/ para number with authenticated catalogue / manual, without which it will not be considered. Points not covered in the brochure must be specifically addressed in a separate certificate.
  - User list from Govt sector and good repute private hospitals should be provided.
  - Certificate (s) regarding standard in quality must be uploaded.
  - Expected delivery & Installation time: Within 45 days after issue of supply order.

# ***Baba Farid University of Health Sciences, Faridkot***

***E-TENDER NOTICE FOR supply & installation of Anaesthesia Workstation  
for Anaesthesia Department. at GGS Medical College & Hospital, Faridkot.***

---

---

## **TERMS AND CONDITIONS**

### **FOR SUPPLY AND INSTALLATION of ANAESTHESIA WORKSTATION REQUIRED AT GGS MEDICAL COLLEGE & HOSPITAL, FARIDKOT.**

#### **ELIGIBILITY**

- The sole manufacturers of equipments or their authorized agents/distributors may quote their rates.
  - In case of Authorized Supplier/Agency/Distributor, the Authorization Certificate as per the Format given at **Annexure-‘III’** should be uploaded.
  - In case the Tenderer is authorized dealer/supplier an undertaking/certificate issued by their Principle Manufacturer/Supplier that in case dealership/distributorship is withdrawn after supply then the Principle Manufacturer/Supplier will be responsible for Guarantee/Warranty/AMC/CMC. (**Annexure – ‘IV’**).
1. This institution reserves the right to reject tenders without assigning any reason and increase or decrease the quantity of the articles tendered.
  2. ***If the supply and installation*** is not made within the stipulated period then late delivery charges @**2%** will be imposed on the total amount of Supply Order up to delay of **30 days** and thereafter @ **4%** for another **30 days** after which Supply Order will be deemed cancelled & security/earnest money will be forfeited and company will be black-listed for future.
  3. Payment Terms: 80% Payment will be released after satisfactory Installation of the Equipment and balance 20% will be made after 60 days of the Installation and satisfactory working of the equipment.
  4. In-complete or conditional offers incorporating price variation will not be entertained.
  5. The firm should have been in existence for at- least **three years** and it should have turnover of **Rs.50,00,000/- per year**.
  6. The successful bidder shall deposit performance security @ 10% of the basic cost of the equipment/s in the shape of **Demand Draft only** and will be returned after receipt of CAMC security.
  7. **Any bidder from a country which shares a land border with India will be eligible to bid in this tender only if the bidder is registered with the competent authority as per the GFRs-2017 rules clause 144 sub rule (X1).**

***Baba Farid University of Health Sciences, Faridkot***

***E-TENDER NOTICE FOR supply & installation of Anaesthesia Workstation  
for Anaesthesia Department. at GGS Medical College & Hospital, Faridkot.***

---

\*\*\*

# ***Baba Farid University of Health Sciences, Faridkot***

***E-TENDER NOTICE FOR supply & installation of Anaesthesia Workstation  
for Anaesthesia Department. at GGS Medical College & Hospital, Faridkot.***

## **Annexure-I**

### **TECHNICAL BID COMPLIANCE STATEMENT**

Name and Address of the applicant / firm \_\_\_\_\_

Specify whether Manufacturer/Dealer/Distributor: \_\_\_\_\_

<b>Sr. No.</b>	<b>Particulars</b>	<b>Remarks</b>
1.	Tender Fee of <b>Rs.2360/-</b> through Online Mode only on or before due date.	Yes/No
2.	Tender Processing fee charged by Punjab Govt. as per their norms. (Non-refundable).	Yes/No
3.	Earnest Money Rs. 3,00,000/- in favor of Registrar Baba Farid University of Health Sciences, Faridkot through online mode only.	Yes/No
4.	Technical Bid Compliance Proforma uploaded ( <b>Annexure-I</b> ).	Yes/No
5.	Whether an affidavit regarding Non-Black listing as per proforma given at <b>Annexure-II</b> duly attested by an Executive Magistrate or a Notary Public uploaded.	Yes/No
6.	In case the bidder is Authorized Supplier/Agency, the Authorization Certificate as per the Format given at <b>Annexure-‘III’</b> uploaded.	Yes/No
7.	In case the Tenderer is Authorized Supplier/Agency, an undertaking/certificate issued by their Principle Manufacturer/Supplier that in case dealership/distributorship is withdrawn after supply then the Principle Manufacturer/Supplier will be responsible for Guarantee/Warranty/AMC/CMC ( <b>Annexure – ‘IV’</b> ) uploaded.	Yes/No
8.	Details of Bank Account for refund of EMD ( <b>Annexure – V</b> ) uploaded.	Yes/No
9.	Price Bid in the prescribed format in Excel Sheet ( <b>Annex – VI</b> ) uploaded.	Yes/No
10.	Copy of Certificate of Registration for service Tax/TIN/TAN/PAN uploaded.	Yes/No
11.	A certificate from C.A. regarding Annual Turnover with Balance Sheet for the last 3 (three) financial years i.e. 2018-19, 2019-20 & 2020-21 uploaded.	Yes/No
12.	Copy of the IT Returns for three financial i.e. 2018-19, 2019-20 & 2020-21 uploaded	Yes/No
13.	Certificate regarding standard in quality <b>as per required in specifications</b>	Yes/No
14.	Compliance sheet, point wise, as per specifications uploaded	Yes/No
15.	E-mail ID	
16.	Make	
17.	Model	

**Signature & seal of bidder**

**Place:**

**Date :**

**Note:** Please upload Catalogue/Brochure/Pamphlets with complete specifications of quoted model only.

***Baba Farid University of Health Sciences, Faridkot***

***E-TENDER NOTICE FOR supply & installation of Anaesthesia Workstation  
for Anaesthesia Department. at GGS Medical College & Hospital, Faridkot.***

---

---

**Annexure-II**

**(To be furnished on non-judicial stamp paper worth Rs.100/- duly attested by Executive Magistrate or Notary Public).**

**AFFIDAVIT**

I/We \_\_\_\_\_  
partner/sole proprietor (Strike out which is not applicable) of (Name & Address of Firm)  
\_\_\_\_\_ do hereby declare and solemnly affirm:-

- a) That the individual/firm/ companies are **not debarred or black- listed** by any department of Union/ State Government or any autonomous institute.
- b) That no partner or shareholder, directly or indirectly connected with the applicant who has been debarred or blacklisted by any department of Union Govt./State Govt./Autonomous Institute.
- c) And that the terms and conditions for supply and Installation of Equipments at GGSMCH, Faridkot, are acceptable to me/us. I/We shall abide by them in letter and spirit.

Date:

Place:

DEPONENT

**VERIFICATION**

I/We do hereby solemnly declare and affirm that the above declarations are true and correct to the best of my/our knowledge and beliefs. No part of it is false and nothing has been concealed therein.

Date:

Place:

***Baba Farid University of Health Sciences, Faridkot***

*E-TENDER NOTICE FOR supply & installation of Anaesthesia Workstation  
for Anaesthesia Department. at GGS Medical College & Hospital, Faridkot.*

---

---

DEPONENT

**Annexure- III**

**MANUFACTURER'S/PRINCIPAL AUTHORIZATION FORM**

TO

The Registrar  
Baba Farid University of Health Sciences,  
Faridkot -151203

**Ref. No.....**

**Dated:**

**Sub: Authorization Certificate in favour of M/s..... for supply  
of ..... (Name of equipment)**

We, M/s....., who are established and reputable  
manufacturers of .....(name of equipment) having factory(ies) at  
..... and ....., hereby authorize  
M/s.....(name and address) to bid, negotiate and conclude  
the Tender formalities with you against Tender No..... for the above  
equipment(s) manufactured by us.

No company or firm or individual other than M/s..... are authorized  
to bid, negotiate and conclude the tender formalities in regard to this business against this  
specific tender.

We, hereby extend our full guarantee and warranty as per the conditions of tender for  
the goods offered for supply against this tender by the above firm.

Yours faithfully,

(Name)

For and on behalf of M/s \_\_\_\_\_  
(name of manufacturer/Principal)

**Note: This letter should be signed by a person competent and having authority to sign  
on behalf of manufacturer, and should be on manufacturer Letter Head and same will  
be uploaded with Technical Bid.**

***Baba Farid University of Health Sciences, Faridkot***

***E-TENDER NOTICE FOR supply & installation of Anaesthesia Workstation  
for Anaesthesia Department. at GGS Medical College & Hospital, Faridkot.***

---

**Annexure - IV**

**UNDERTAKING BY MANUFACTURER/PRINCIPAL SUPPLIER**

TO

The Registrar  
Baba Farid University of Health Sciences,  
Faridkot -151203

**Ref. No.**.....

**Dated:**

**Sub: Undertaking for after sales service**

We, M/s....., who are established and reputable manufacturers of .....(name of equipment) have authorized M/s.....(name and address) to bid, negotiate and conclude the Tender formalities with you against Tender No..... for the above equipment(s).

Further, we undertake that in case dealership/distributorship is withdrawn after supply of equipment then we shall be responsible for after sales service till the date of guarantee/warranty of the equipment and afterwards for a period of 10 years.

Yours faithfully,

(Name)

For and on behalf of M/s \_\_\_\_\_  
(name of manufacturer/Principal)

***Baba Farid University of Health Sciences, Faridkot***

***E-TENDER NOTICE FOR supply & installation of Anaesthesia Workstation  
for Anaesthesia Department. at GGS Medical College & Hospital, Faridkot.***

---

---

**Annexure- V**

**Details of Bank Account of the firm who has deposited EMD**

Name of the firm: \_\_\_\_\_

<b>Sr. No.</b>	<b>Particulars</b>	<b>Detail</b>
1.	Account No.	
2.	Name of Bank	
3.	Branch Name	
4.	IFSC Code of Bank	
5.	Name of Operator	



*Baba Farid University of Health Sciences, Faridkot*

*E-TENDER NOTICE FOR supply & installation of Anaesthesia Workstation  
for Anaesthesia Department. at GGS Medical College & Hospital, Faridkot.*

---

---

**ANNEXURE - VI**

**PRICE BID**

**TO BE UPLOADED in Printed/Computerized format in Excel Sheet Attached for all Equipments.**