

Baba Farid University of Health Sciences, Faridkot

Sadiq Road Faridkot - 151203 (Pb) India

Phone: 01639-256232, 256236

Dated: 15/3/2521

Fax: 01639-256234

Web: www.bfuhs.ac.in

E-mail:upfdbfuhs@gmail.com

No.16 BFUHS (UPFD)2021/ 5339

WEB Site

Subject: Quotations for purchase of UPS.

Sealed quotations are invited for purchase of UPS as per attached specifications and following terms and conditions:-

Terms and conditions: -

1. Payment

: By Cheque on receipt of material in good condition and after satisfactory inspection report.

2. Delivery

: Store Section, BFUHS, Faridkot

3. Rate

: Inclusive of all taxes or taxes (as applicable), if any, be mentioned separately in the quotation.

4. Validity

: Rates should be valid for one year.

5. Warranty/guaranty if any may be mentioned.

Quotation must be submitted through post/trackable courier. By hand quotations will not be entertained.

It is further mentioned that only the terms & conditions mentioned by the University on quotation performa will be considered for supply order.

You are requested to send your lowest quotation in a sealed cover, addressed to the Registrar, Baba Farid University of Health Sciences, Sadiq Road, Faridkot (Punjab) and the words "QUOTATION FOR UPS" may please be inscribed on top of the envelope.

Last date for receipt of quotation in the university office is 22.03.2021 by 5.00 PM

Prof. In-charge (UPFD)



UPS Spécification:-

Output

Oulput Capacity 600 VA / 360 Walts

Unit Weight 5.7 Kg

Shipping Weight 6.1 Kg

Shipping Dimensions (H x W x D) 257 x 190 x 291 mm

Color Black

Battery Type 7,5AH Maintenance free, sealed lend-acid

Adjustable Sensilivity and Transfer Voltage Low, Medium, High

Alarms Visual (LED) and audible alarms

Physical

input Gonnection India 6 Amp plug, 1,2 meter power cord

Input Voltage / Frequency 230V / 50 Hz

input

Wavelorm Type Stepped Approximation to Sine Wave

Three (3) India 3-pin 6 Amu sockets

Quiput Connections (all with battery backup and surge protection)

Output Voltage / Frequency (On battery) 230V +/-8%, 50 Hz W-1Hz

APC, Microtex, numeric